

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	933	SQL near standard	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/13 15:36
S2	70871	transact\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/04/20 10:34
S3	3335818	reduc\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/04/20 10:37
S4	482850	lock	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/04/20 10:38
S5	71268	concurrent	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/04/20 10:40
S6	222321	reduc\$3 and lock	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/04/20 10:43
S7	5429	transact\$3 and concurrent	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/04/20 10:44
S8	159	(SQL near standard) and reduc\$3 and lock	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/04/20 10:44
S9	389	(SQL near standard) and transact\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/04/20 10:45
S10	25184	table with row	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/04/20 10:47
S11	86	((SQL near standard) and reduc\$3 and lock) and (table with row)	USPAT	OR	ON	2004/04/20 10:51
S12	6820	semantics	USPAT	OR	ON	2004/04/20 10:53
S13	44	((SQL near standard) and reduc\$3 and lock) and (table with row) and semantics	USPAT	OR	ON	2004/04/20 10:54
S14	4498	((structures near query near language) or SQL)	USPAT	OR	ON	2004/04/20 10:57
S15	63	((structures near query near language) or SQL) and transact\$3 and (reduc\$3 and lock) and (((SQL near standard) and reduc\$3 and lock) and (table with row))	USPAT	OR	ON	2004/04/20 11:01
S16	42	((structures near query near language) or SQL) and transact\$3 and (reduc\$3 and lock) and (((SQL near standard) and reduc\$3 and lock) and (table with row))) and semantics	USPAT	OR	ON	2004/04/20 14:28
S17	673	707/8.ccls.	USPAT	OR	ON	2004/04/20 14:36
S18	274	707/8.cor.	USPAT	OR	ON	2004/04/20 14:53
S19	179	707/8.cor. and reduc\$3	USPAT	OR	ON	2004/04/20 16:17
S20	35	(707/8.cor. and reduc\$3) and (SQL or (structured near query near language))	USPAT	OR	ON	2004/04/20 14:55
S21	25	(707/8.cor. and reduc\$3) and semantics	USPAT	OR	ON	2004/04/20 16:18
S22	39	"namik"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/27 12:14

S23	10	scan SAME query SAME lock SAME row	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/13 16:03
S24	2	"6606626"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/20 15:01
S25	2017	skip\$4 row lock updat\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2005/05/11 11:26
S26	11	skip\$4 row lock updat\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	SAME	ON	2005/05/11 12:39
S27	3	skip\$4 row lock updat\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	WITH	ON	2005/05/11 11:27
S28	1	skip\$4 row lock held updat\$4 commit\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	SAME	ON	2005/10/20 15:03
S29	0	skip\$4 row lock held updat\$4 commit\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	WITH	ON	2005/10/20 15:03
S30	0	skip\$4 row lock held updat\$4 commit\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	NEAR	ON	2005/10/20 15:04
S31	454	skip\$4 row lock held updat\$4 commit\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2005/10/20 15:05
S32	449	S31 table	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2005/10/20 15:19
S33	1179	skip\$4 near5 row	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/20 15:19
S34	20	(S31 or S32) S33	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2005/10/20 16:18
S35	995	lock skip\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	SAME	ON	2005/10/20 16:21
S36	60	lock skip\$4 held	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	SAME	ON	2005/10/20 16:21
S37	60	lock skip\$4 held lock\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	SAME	ON	2005/10/20 16:22
S38	12	lock skip\$4 held lock\$3 row	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	SAME	ON	2005/10/24 13:25
S39	1	"20020038313".pn. and (skip\$5 or after or row or lock\$3 or held or updat\$4 or commit\$4 or scan\$4 or table or data or data\$base)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 14:09

S40	1	"20020038313".pn. and (scan near operator near session)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 14:09
-----	---	---	---	----	----	------------------